



1FW

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/674,235	09/29/2003	Rudolph Nobis	END 5214

000027777

PHILIP S. JOHNSON
JOHNSON & JOHNSON
ONE JOHNSON & JOHNSON PLAZA
NEW BRUNSWICK, NJ 08933-7003

CONFIRMATION NO. 1897

FORMALITIES LETTER



OC00000003137014

Date Mailed: 07/02/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS***Filing Date Granted***


An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52, 1.121(b)(3), and 1.125, is required. The specification, claims, or abstract page(s) submitted is not acceptable and cannot be scanned or properly stored because:
 - The line spacing on the specification, claims, or abstract is not 1½ or double spaced (see 37 CFR 1.52(b)).
- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 14.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



DOCKET NO. END-5214

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Nobis, Rudolph et al.
Serial No. : 10/674,235 Art Unit: 3762
Filed : September 29, 2003 Examiner: Not assigned
For : ACTUATION MECHANISM FOR FLEXIBLE ENDOSCOPIC DEVICE

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope addressed
to: Commissioner For Patents, PO Box 1450, Alexandria, VA 22313-1450 on

August 31 2004
(Date of Deposit)

Linda F. Hansen
(Name of person signing, applicant, assignee, or Registered Representative)

Linda F. Hansen
(Signature)

August 31 2004
(Date of Signature)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMISSION OF FORMAL DRAWINGS TO OFFICIAL DRAFTSMAN

Sir:

Applicants herewith submit one set of of fourteen (14) sheets of formal drawings in connection with the above-identified patent application pursuant to a Notice To File Corrected Application Papers mailed July 2, 2004.

This submission is made within two months of July 2, 2004, the mailing date of the above Notice To File Corrected Application Papers.

Please charge any fees which may be required for this submission to Johnson & Johnson Deposit Account No. 10-0750/END-5214/GSG

Respectfully submitted,

Gerry S. Gressel
Gerry S. Gressel
Attorney for Applicants
Reg. No. 34,342

Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(513) 337-3535
August 30, 2004